INDEX TO AUTHORS.

A

Abramson, Harold A. The electrophoresis of the blood platelets of the horse with reference to their origin and to thrombus formation, 677

Addis, T. Compensatory hypertrophy of the lung after unilateral pneumectomy, 51

Ames, Olivia. See DOAN, ZERFAS, WARREN, and AMES, 403

B

Baker, Lillian E., and **Carrel, Alexis.** The effect of digests of pure proteins on cell proliferation, 353

— and —. Effect of liver and pituitary digests on the proliferation of sarcomatous fibroblasts of the rat, 371

Banzhaf, Edwin J. See FRIEDLANDER, SOBOTKA, and BANZHAF, 79

Barron, E. S. Guzman, and **Bumstead, John H.** The pathogenesis of early obstructive jaundice, 999

Berg, Benjamin N., Hess, Alfred F., and **Sherman, Elizabeth.** Changes in the percentage of calcium and phosphorus of the blood following section of the sympathetic and vagus nerves, 105

—. See HESS, BERG, and SHERMAN, 115

Binger, Carl A. L. See CHRISTIE, EHRICH, and BINGER, 741

Brown, Wade H. Calcium and inorganic phosphorus in the blood of rabbits. I. Results of repeated and prolonged observations on normal rabbits, 539

—. II. Results of single determinations on normal rabbits from recently acquired stocks, 563

—. III. Periodic and progressive variations in normal rabbits, 637

Bumstead, John H. See BARRON and BUMSTEAD, 999

C

Carrel, Alexis. See BAKER and CARREL, 353, 371

Caylor, Harold D. See SHEARD, CAYLOR, and SCHLOTTHAUER, 1013

Cheer, Sheo Nan. See ROBERTSON, WOO, CHEER, and KING, 317

Christie, Ronald V., Ehrich, Wilhelm, and **Binger, Carl A. L.** An experimental study of diathermy. V. The elevation of temperature in the pneumonic lung, 741

Cowdry, E. V. See GLASER and COWDRY, 829

D

Dawson, Martin H. The interconvertibility of "R" and "S" forms of pneumococcus, 577

Doan, Charles A., Zerfas, Leon G., Warren, Sylvia, and **Ames, Olivia.** A study of the mechanism of nucleinate-induced leucopenic and leucocytic states, with special reference to the relative rôles of liver, spleen, and bone marrow, 403

Dochez, A. R. See MILLS, SHIBLEY, and DOCHEZ, 193

Drury, Douglas R. See ELMAN, DRURY, and MCMASTER, 777

E

Ehrich, Wilhelm. See CHRISTIE, EHRICH, and BINGER, 741

Elman, Robert, Drury, Douglas R., and **McMaster, Philip D.** The relative reaction within living mammalian tissues. X. Litmus constituents as vital stains: their preparation and relative usefulness, 777

—. See MCMASTER and ELMAN, 797

F

Fleming, William L. See GASPARI, SUGG, FLEMING, and NEILL, 131

—. See SUGG, GASPARI, FLEMING, and NEILL, 917

Flexner, Simon. Contributions to the pathology of experimental virus encephalitis. IV. Recurring strains of herpes virus, 9

—. V. Herpes virus encephalitis in the guinea pig, 23

Forster, George F. Is there an immunological relationship between horse serum and horse dander? 903

Freedlander, S. O., and **Toomey, J. A.** The rôle of clasmatocytes and connective tissue cells in non-specific local cutaneous immunity to staphylococcus, 663

Friedlander, Mae, Sobotka, Harry, and **Banzhaf, Edwin J.** The precipitin reaction of antipneumococcus sera. II. The ratio of precipitin to protective antibody, 79

—. See SOBOTKA and FRIEDLANDER, 57

Furth, J., and **Landsteiner, K.** On precipitable substances derived from *Bacillus typhosus* and *Bacillus paratyphosus* B, 171

G

Gaspari, Emidio L., Sugg, John Y., Fleming, William L., and **Neill, James M.** The influence of heating the immunization material upon the antibody-invoking effectiveness of the type-specific and species-specific antigens of Type II pneumococcus cells, 131

—. See SUGG, GASPARI, FLEMING, and NEILL, 917

Gates, Frederick L. See RIVERS and GATES, 45

—. See RIVERS, STEVENS, and GATES, 37

Glaser, R. W., and **Cowdry, E. V.** Experiments on the visibility of the polyhedral viruses, 829

Gottesman, J. See MARMORSTON-GOTTESMAN and GOTTESMAN, 503

H

Harris, Annie Luverne, Sugg, John Y., and **Neill, James M.** Studies on immunological relationships among the pneumococci. II. A comparison of the antibody responses of mice and of rabbits to immunization with typical Type III pneumococci and to immunization with a related strain, 933

Hess, Alfred F., Berg, Benjamin N., and **Sherman, Elizabeth.** Alterations in the calcium level of the blood following section of the spinal cord, 115
—. See BERG, HESS, and SHERMAN, 105
Howard, Marion. See BROWN, 539, 563, 637

J

Jaffe, Henry L., and **Richter, Maurice N.** The regeneration of autoplastic lymph node transplants, 977
—. See RICHTER and JAFFE, 981
Jones, F. S. The effect on subsequent agglutination of the exposure of bacteria to heated antiserum, 245
—. The properties of the bactericidal substance in milk, 877
—. Udder infection with streptococci of the scarlet fever type. III. The influence of milk on the growth of scarlet fever streptococci, 965
— and **Little, Ralph B.** Udder infection with streptococci of the scarlet fever type. I. Spontaneous and experimental udder infection, 945
— and —. II. A study of the scarlet fever type of streptococci isolated from the udder of the cow, 957
Julianelle, Louis A. Bacterial variation in cultures of Friedländer's bacillus, 889
Jungeblut, C. W. The rôle of the reticulo-endothelial system in immunity. V. Phenomena of passive immunity in blocked and splenectomized mice, 261

K

King, Li Pin. See ROBERTSON, WOO, CHEER, and KING, 317
Klosterman, Julius A., and **Small, Kathryn W.** Recent studies on methods of isolating a bacteriophage for *Bacillus diphtheriæ*, 121
Kurotchkin, T. J. See TOMCSIK and KUROTCHKIN, 379

L

Lancefield, Rebecca C. The antigenic complex of *Streptococcus hæmolyticus*. I. Demonstration of a type-specific substance in extracts of *Streptococcus hæmolyticus*, 91
—. II. Chemical and immunological properties of the protein fractions, 469
—. III. Chemical and immunological properties of the species-specific substance, 481
—. IV. Anaphylaxis with two non-type-specific fractions, 843
—. V. Anaphylaxis with the type-specific substance, 857
Landsteiner, K., and **Levine, Philip.** On individual differences in human blood, 757
—. See FURTH and LANDSTEINER, 171
Levine, Philip. See LANDSTEINER and LEVINE, 757
Lewis, Paul A., and **Loomis, Dorothy.** Allergic irritability. IV. The capacity of guinea pigs to produce antibodies as affected by the inheritance and as related to familial resistance to tuberculosis, 437
— and —. Ulcerative types as determined by inheritance and as

related to natural resistance against tuberculosis: an experimental study on inbred guinea pigs, 449
Little, Ralph B. See JONES and LITTLE, 945, 957
Long, Perrin H. See OLITSKY and LONG, 835
Loomis, Dorothy. See LEWIS and LOOMIS, 437, 449

M

Mackenzie, Ronald D., and **Sturm, Ernest.** Some factors determining the localization of a chicken tumor agent, 345
Marmorston-Gottesman, J., and **Gottesman, J.** The use of histamine as a standard test for diminished resistance in suprarenalectomized rats, 503
— and **Perla, David.** Immunological studies in relation to the suprarenal gland. I. Hemolysin formation in normal rats, 713
—. See PERLA and MARMORSTON-GOTTESMAN, 723
Martini, Erich. A comparison of the spirochete of yellow fever (*Leptospira icteroides* Noguchi) with the leptospira of Weil's disease, 255
McMaster, Philip D., and **Elman, Robert.** The relative reaction within living mammalian tissues. XI. The intracellular reaction of the kidney epithelium and its relation to the reaction of the urine, 797
—. See ELMAN, DRURY, and MCMASTER, 777
Mills, Katherine C., Shibley, G. S., and **Dochez, A. R.** Studies in the common cold. II. A study of certain Gram-negative filter-passing anaerobes of the upper respiratory tract, 193
Murphy, James B. See STURM and MURPHY, 493

N

Neill, James M. See GASPARI, SUGG, FLEMING, and NEILL, 131
—. See HARRIS, SUGG, and NEILL, 933
—. See SUGG, GASPARI, FLEMING, and NEILL, 917
Nelson, John B. Studies on a paratyphoid infection in guinea pigs. IV. The course of a second type of Salmonella infection naturally appearing in the endemic stage, 207
Noguchi, Hideyo. Etiology of Oroya fever. IX. *Bacterium peruvianum, n. sp.,* a secondary invader of the lesions of verruga peruana, 165
—. X. Comparative studies of different strains of *Bartonella bacilliformis,* with special reference to the relationship between the clinical types of Carrion's disease and the virulence of the infecting organism, 219
—. XI. Comparison of *Bartonella bacilliformis* and *Bartonella muris.* Cultivation of *Bacterium murium, n. sp.,* 235
—. XII. Influence of malarial infection (*Plasmodium inui?*), splenectomy, or both, upon experimental Carrion's disease in monkeys, 821

O

Olitsky, Peter K., and **Long, Perrin H.** Effect of formalin on the virus of vesicular stomatitis of horses, 835

P

Parker, Julia T. The production of skin necrosis by certain autolysates of pneumococcus (Types I and II), 531

Pearce, Louise. Reciprocal effects of concomitant infections. I. The influence of vaccinia on the reaction to infection with experimental syphilis, 611

Perla, David, and **Marmorston-Gottesman, J.** Immunological studies in relation to the suprarenal gland. II. Hemolysin formation in suprarenalectomized rats, 723

—. See MARMORSTON-GOTTESMAN and PERLA, 713

R

Ramsdell, Susan Griffith. Surface tension of serum of the sensitized guinea pig. I. Surface tension changes incident to the process of sensitization, 987

—. II. Surface tension changes in the blood in anaphylactic shock, 993

Reynals, F. Duran. Studies on the inactivation of vaccine virus and the action of certain substances upon the infecting power of the inactivated virus, 389

Richter, Maurice N., and **Jaffe, Henry L.** The autoplastic transplantation of tissues into the bone marrow cavity. I. The thymus, 981

—. See JAFFE and RICHTER, 977

Rivers, Thomas M., and **Gates, Frederick L.** Ultra-violet light and vaccine virus. II. The effect of monochromatic ultra-violet light upon vaccine virus, 45

Rivers, Thomas M., Stevens, Henry, and **Gates, Frederick L.** Ultra-violet light and vaccine virus. I. The reaction of irradiated skin to vaccine virus, 37

Robertson, Oswald H., Woo, Shutai T., Cheer, Sheo Nan, and **King, Li Pin.** A study of the mechanism of recovery from experimental pneumococcus infection, 317

S

Schlotthauer, Carl. See SHEARD, CAYLOR, and SCHLOTTHAUER, 1013

Scott, W. J. M. The influence of the adrenal glands on resistance. III. Susceptibility to histamine as a test of adrenal deficiency, 185

Sheard, Charles, Caylor, Harold D., and **Schlotthauer, Carl.** Photosensitization of animals after the ingestion of buckwheat, 1013

Sherman, Elizabeth. See BERG, HESS, and SHERMAN, 105

—. See HESS, BERG, and SHERMAN, 115

Shibley, G. S. See MILLS, SHIBLEY, and DOCHEZ, 193

Shwartzman, Gregory. Studies on streptococcus bacteriophage. II. The influence of lytic principles upon the agglutination of hemolytic streptococci, 151

Small, Kathryn W. See KLOSTERMAN and SMALL, 121

Smetana, Hans. Studies upon the physiological action of hematoporphyrine, 593

Sobotka, Harry, and **Friedlander, Mae.** The precipitin reaction of antipneumococcus sera. I. The precipitin index, 57

Sobotka, Harry. See FRIEDLANDER, SOBOTKA, and BANZHAF, 79
Stevens, Henry. See RIVERS, STEVENS, and GATES, 37
Stewart, Fred W. Local specific therapy of experimental pneumococcal meningitis. III. Incidental myelitis, abscess, and organization of exudates, 1
—. IV. Type II pneumococcal meningitis in dogs, 515
Sturm, Ernest, and **Murphy, James B.** Further observations on an experimentally produced sarcoma of the chicken, 493
—. See MACKENZIE and STURM, 345
Sugg, John Y., Gaspari, Emidio L., Fleming, William L., and **Neill, James M.** Studies on immunological relationships among the pneumococci. I. A virulent strain of pneumococcus which is immunologically related to, but not identical with typical strains of Type III pneumococci, 917
—. See GASPARI, SUGG, FLEMING, and NEILL, 131
—. See HARRIS, SUGG, and NEILL, 933

T

Tomcsik, Joseph, and **Kurotchkin, T. J.** On the rôle of carbohydrate haptens in bacterial anaphylaxis, 379
Toomey, J. A. See FREEDLANDER and TOOMEY, 663

W

Warren, Sylvia. See DOAN, ZERFAS, WARREN, and AMES, 403
Wearn, Joseph T. The extent of the capillary bed of the heart, 273
—. The rôle of the Thebesian vessels in the circulation of the heart, 293
Webster, Leslie T. The mode of spread of a Friedländer bacillus-like respiratory infection of mice, 685
Woo, Shutai T. See ROBERTSON, WOO, CHEER, and KING, 317

Z

Zerfas, Leon G. See DOAN, ZERFAS, WARREN, and AMES, 403
Zschiesche, Louise J. See WEARN, 273

INDEX TO SUBJECTS.

A

Abscess:
Meningitis, pneumococcus (STEWART) 1

Adrenal:
Deficiency, tested by susceptibility to histamine (SCOTT) 185
Immunological studies. I (MARMORSTON-GOTTESMAN and PERLA) 713
— —. II (PERLA and MARMORSTON-GOTTESMAN) 723
Resistance, influence on, of III (SCOTT) 185

Adrenalectomy:
Hemolysin formation (PERLA and MARMORSTON-GOTTESMAN) 723
Resistance tested by means of histamine (MARMORSTON-GOTTESMAN and GOTTESMAN) 503

Agglutination:
Bacteria, effect of exposure to heated antiserum (JONES) 245
Streptococcus, hemolytic, influence of bacteriophage (SHWARTZMAN) 151

Allergy:
Irritability. IV (LEWIS and LOOMIS) 437

Anaerobe:
Gram-negative, filter-passing, of upper respiratory tract (MILLS, SHIBLEY, and DOCHEZ) 193

Anaphylaxis:
Bacterial, rôle of carbohydrate haptens (TOMCSIK and KUROTCHKIN) 379
Streptococcus hæmolyticus, non-type-specific fractions (LANCEFIELD) 843
— —, type-specific substance (LANCEFIELD) 857
Surface tension changes in blood (RAMSDELL) 993

Antibody:
Capacity, as affected by inheritance and as related to familial resistance to tuberculosis (LEWIS and LOOMIS) 437
Heated immunization material, influence on antibody-invoking effectiveness of species-specific antigen of Type II pneumococcus cells (GASPARI, SUGG, FLEMING, and NEILL) 131
— — —, influence on antibody-invoking effectiveness of type-specific antigen of Type II pneumococcus cells (GASPARI, SUGG, FLEMING, and NEILL) 131
Protective, ratio to precipitin (FRIEDLANDER, SOBOTKA, and BANZHAF) 79
Response to immunization with typical Type III pneumococci and to immunization with related strain (HARRIS, SUGG, and NEILL) 933

Antigen:
Species-specific, of Type II pneumococcus cells, influence of heating on antibody-invoking effectiveness (GASPARI, SUGG, FLEMING, and NEILL) 131
Streptococcus hæmolyticus complex. I (LANCEFIELD) 91
— — —. II (LANCEFIELD) 469
— — —. III (LANCEFIELD) 481
— — —. IV (LANCEFIELD) 843
— — —. V (LANCEFIELD) 857
Type-specific, of Type II pneumococcus cells, influence of heating on antibody-invoking effectiveness (GASPARI, SUGG, FLEMING, and NEILL) 131
Antipneumococcic serum:
See Serum.
Antiserum:
Agglutination as affected by exposure of bacteria to heated antiserum (JONES) 245
Autolysate:
Pneumococcus Types I and II, producing skin necrosis (PARKER) 531
Autoplastic:
Transplantation of lymph nodes (JAFFE and RICHTER) 977
— — tissues into bone marrow cavity. I (RICHTER and JAFFE) 981

B

Bacillus:
diphtheriæ, method for isolation of bacteriophage (KLOSTERMAN and SMALL) 121
Bacillus—*continued*:
Friedländer bacillus-like respiratory infection of mice (WEBSTER) 685
—, bacterial variation in cultures (JULIANELLE) 889
paratyphosus B, precipitable substances (FURTH and LANDSTEINER) 171
typhosus, precipitable substances (FURTH and LANDSTEINER) 171
Bactericide:
Milk, properties of bactericidal substance (JONES) 877
Bacteriophage:
Bacillus diphtheriæ, method for isolation (KLOSTERMAN and SMALL) 121
Streptococcus. II (SHWARTZMAN) 151
Bacterium:
Agglutination, effect of exposure to heated antiserum (JONES) 245
Anaphylaxis, rôle of carbohydrate haptens (TOMCSIK and KUROTCHKIN) 379
murium, cultivation (NOGUCHI) 235
peruvianum, as secondary invader of lesions of verruga peruana (NOGUCHI) 165
Variation in cultures of Friedländer's bacillus (JULIANELLE) 889
Bartonella:
bacilliformis, comparison with *Bartonella muris* (NOGUCHI) 235
—, relation between virulence and clinical types of Carrion's disease (NOGUCHI) 219
muris, comparison with *Bartonella bacilliformis* (NOGUCHI) 235

Blood:
Calcium. I (BROWN) 539
—. II (BROWN) 563
—. III (BROWN) 637
—, after section of spinal cord (HESS, BERG, and SHERMAN) 115
—, — — — sympathetic nerves (BERG, HESS, and SHERMAN) 105
—, — — — vagus nerves (BERG, HESS, and SHERMAN) 105
Human, individual differences (LANDSTEINER and LEVINE) 757
Phosphorus, after section of sympathetic nerves (BERG, HESS, and SHERMAN) 105
—, — — — vagus nerves (BERG, HESS, and SHERMAN) 105
—, inorganic. I (BROWN) 539
—, —. II (BROWN) 536
—, —. III (BROWN) 637
Platelet, electrophoresis with reference to origin and thrombus formation (ABRAMSON) 677
Surface tension, in anaphylactic shock (RAMSDELL) 993
Buckwheat:
Photosensitization after ingestion (SHEARD, CAYLOR, and SCHLOTTHAUER) 1013

C

Calcium:
Blood. I (BROWN) 539
—. II (BROWN) 563
—. III (BROWN) 637
—, after section of spinal cord (HESS, BERG, and SHERMAN) 115
—, — — — sympathetic nerves (BERG, HESS, and SHERMAN) 105
—, — — — vagus nerves (BERG, HESS, and SHERMAN) 105
Capillary:
Heart, extent of capillary bed (WEARN) 273
Carbohydrate:
Haptens, rôle in bacterial anaphylaxis (TOMCSIK and KUROTCHKIN) 379
Carrion's disease:
See Oroya fever.
Cattle:
Udder infection with streptococci of scarlet fever type. I (JONES and LITTLE) 945
— — — — of scarlet fever type. II (JONES and LITTLE) 957
— — — — of scarlet fever type. III (JONES) 965
Cell:
Connective tissue, rôle in nonspecific local cutaneous immunity to staphylococcus (FREEDLANDER and TOOMEY) 663
Pneumococcus Type II, influence of heating immunization material on antibody-invoking effectiveness of species-specific antigen (GASPARI, SUGG, FLEMING, and NEILL) 131
— — —, influence of heating immunization material on antibody-invoking effectiveness of type-specific antigen (GASPARI, SUGG, FLEMING, and NEILL) 131
Proliferation, effect of digests

Cell—*continued*:
of pure protein (BAKER and CARREL) 353
Circulation:
Heart, rôle of Thebesian vessels (WEARN) 293
Clasmatocyte:
Staphylococcus immunity, nonspecific local cutaneous (FREEDLANDER and TOOMEY) 663
Connective tissue:
See Tissue.
Coryza:
II (MILLS, SHIBLEY, and DOCHEZ) 193
Cultivation:
Bacterium murium (NOGUCHI) 235
Friedländer's bacillus, bacterial variation (JULIANELLE) 889

D

Dander:
Horse, relation of horse serum (FORSTER) 903
Diathermy:
V (CHRISTIE, EHRICH, and BINGER) 741
Disease:
Carrion's. *See* Oroya fever.
Weil's, leptospira compared with spirochete of yellow fever (MARTINI) 255

E

Electrophoresis:
Blood platelets, with reference to origin and thrombus formation (ABRAMSON) 677
Encephalitis:
Virus, herpes, in guinea pig (FLEXNER) 23
—, pathology. IV (FLEXNER) 9
—, —. V (FLEXNER) 23
Endemic:
Paratyphoid, guinea pig, Salmonella appearing during endemic stage (NELSON) 207
Epithelium:
Kidney, intracellular reaction and its relation to reaction of urine (McMASTER and ELMAN) 797
Exudate:
Organization, in pneumococcal meningitis (STEWART) 1

F

Fever:
Oroya. *See* Oroya fever.
Scarlet. *See* Scarlet fever.
Yellow. *See* Yellow fever.
Fibroblast:
Sarcomatous, effect of liver digests (BAKER and CARREL) 371
—, — — pituitary digests (BAKER and CARREL) 371
Filtration:
Gram-negative, filter-passing anaerobes of upper respiratory tract (MILLS, SHIBLEY, and DOCHEZ) 193
Formalin:
Virus of vesicular stomatitis of horses, effect on, of (OLITSKY and LONG) 835
Friedländer:
Bacillus. *See* Bacillus.

G

Gland:
Adrenal. *See* Adrenal.
Gram:
Staining. *See* Staining.

H

Hapten:
Carbohydrate, rôle in bacterial anaphylaxis (TOMCSIK and KUROTCHKIN) 379
Heart:
Capillary bed (WEARN) 273
Circulation, rôle of Thebesian vessels (WEARN) 293
Heat:
Antibody-invoking effectiveness of species-specific antigen of Type II pneumococcus after heating immunization material (GASPARI, SUGG, FLEMING, and NEILL) 131
— — — type-specific antigen of Type II pneumococcus after heating immunization material (GASPARI, SUGG, FLEMING, and NEILL) 131
Antiserum, heated, effect on subsequent agglutination, of exposure of bacteria to (JONES) 245
Hematoporphyrine:
Physiological action (SMETANA) 593
Hemolysin:
Formation in normal rats (MARMORSTON-GOTTESMAN and PERLA) 713
— — suprarenalectomized rats (PERLA and MARMORSTON-GOTTESMAN) 723
Hemolysis:
Streptococcus, hemolytic, influence of bacteriophage on agglutination (SHWARTZMAN) 151
Heredity:
Antibody capacity as affected by inheritance and as related to familial resistance to tuberculosis (LEWIS and LOOMIS) 437
Ulcerative types as determined by inheritance and as related to natural resistance to tuberculosis (LEWIS and LOOMIS) 449
Herpes:
Virus encephalitis in guinea pig (FLEXNER) 23
—, recurring strains (FLEXNER) 9
Histamine:
Resistance after adrenalectomy tested by means of (MARMORSTON-GOTTESMAN and GOTTESMAN) 503
Susceptibility, as test of adrenal deficiency (SCOTT) 185
Horse:
Dander, relation of horse serum (FORSTER) 903
Stomatitis aphthosa, effect of formalin on virus (OLITSKY and LONG) 835
Hypertrophy:
Lung, compensatory, after unilateral pneumectomy (ADDIS) 51

I

Immunity:
Antibody-invoking effectiveness of species-specific antigen of Type II pneumococcus after heating immunization material (GASPARI, SUGG, FLEMING, and NEILL) 131
— — — type-specific antigen of Type II pneumococcus after heating immunization material (GASPARI, SUGG, FLEMING, and NEILL) 131
Antibody response to immuniza-

Immunity—*continued*:
tion with typical Type III pneumococci and to immunization with related strain (HARRIS, SUGG, and NEILL) 933
Passive, in blocked and splenectomized mice (JUNGEBLUT) 261
Reticulo-endothelial system V. (JUNGEBLUT) 261
Staphylococcus, non-specific local cutaneous, rôle of clasmatocytes and connective tissue cells (FREEDLANDER and TOOMEY) 663
Immunology:
Adrenal. I (MARMORSTON-GOTTESMAN and PERLA) 713
—. II (PERLA and MARMORSTON-GOTTESMAN) 723
Horse serum and horse dander (FORSTER) 903
Pneumococci, relations. I (SUGG, GASPARI, FLEMING, and NEILL) 917
—, —. II (HARRIS, SUGG, and NEILL) 933
Pneumococcus, virulent strain immunologically related to but not identical with typical strains of Type III pneumococci (SUGG, GASPARI, FLEMING, and NEILL) 917
Streptococcus hæmolyticus, chemical and immunological properties of protein fractions (LANCEFIELD) 469
— —, — and immunological properties of species-specific substance (LANCEFIELD) 481
Inbreeding:
Ulcerative types as determined by inheritance and as related to natural resistance to tuberculosis (LEWIS and LOOMIS) 449
Infection:
Concomitant, reciprocal effects. I (PEARCE) 611
Irritability:
Allergic. IV (LEWIS and LOOMIS) 437

J

Jaundice:
Obstructive, early, pathogenesis (BARRON and BUMSTEAD) 999

K

Kidney:
Epithelium, intracellular reaction and its relation to reaction of urine (MCMASTER and ELMAN) 797

L

Leptospira:
icterohæmorrhagiæ, compared with *Leptospira icteroides* (MARTINI) 255
icteroides, compared with leptospira of Weil's disease (MARTINI) 255
Lesion:
Oroya fever, invaded by *Bacterium peruvianum* (NOGUCHI) 165
Leucocytosis:
Nucleinate-induced, and leucopenia, studied with reference to relative rôles of liver, spleen, and bone marrow (DOAN, ZERFAS, WARREN, and AMES) 403

Leucopenia:
Nucleinate-induced, and leucocytosis, studied with reference to relative rôles of liver, spleen, and bone marrow (DOAN, ZERFAS, WARREN, and AMES) 403
Litmus:
Constituents as vital stains, preparation and relative usefulness (ELMAN, DRURY, and MCMASTER) 777
Liver:
Digest, effect on proliferation of sarcomatous fibroblasts (BAKER and CARREL) 371
Leucopenia and leucocytosis induced by nucleinate studied with reference to relative rôles of liver, spleen, and bone marrow (DOAN, ZERFAS, WARREN, and AMES) 403
Lungs:
Pneumectomy, unilateral, compensatory hypertrophy after (ADDIS) 51
Pneumonic, elevation of temperature (CHRISTIE, EHRICH, and BINGER) 741
Lymph:
Node, regeneration of autoplastic transplants (JAFFE and RICHTER) 977
Lysis:
Bacteriophage, influence on agglutination of hemolytic streptococci (SHWARTZMAN) 151

M

Malaria:
Plasmodium inui, influence on Carrion's disease (NOGUCHI) 821
Mammal:
Tissue, living, relative reaction. X (ELMAN, DRURY, and MCMASTER) 777
—, —, — —. XI (MCMASTER and ELMAN) 797
Marrow:
Autoplastic transplantation of tissues into cavity. I (RICHTER and JAFFE) 981
Leucopenia and leucocytosis induced by nucleinate studied with reference to relative rôles of liver, spleen, and bone marrow (DOAN, ZERFAS, WARREN, and AMES) 403
Meningitis:
Pneumococcus, local specific therapy. III (STEWART) 1
—, — — —. IV (STEWART) 515
—, Type II, in dogs (STEWART) 515
Milk:
Bactericidal substance, properties (JONES) 877
Streptococci of scarlet fever type, influence of milk on growth (JONES) 965
Myelitis:
Meningitis, pneumococcus (STEWART) 1

N

Necrosis:
Skin, produced by autolysates of Pneumococcus Types I and II (PARKER) 531
Nerve:
Sympathetic, calcium of blood after section (BERG, HESS, and SHERMAN) 105
—, phosphorus of blood after section (BERG, HESS, and SHERMAN) 105

Nerve—*continued*:
Vagus, calcium of blood after section (BERG, HESS, and SHERMAN) 105
—, phosphorus of blood after section (BERG, HESS, and SHERMAN) 105
Node:
Lymph. *See* Lymph.
Nucleinate:
Leucopenia and leucocytosis induced by, studied with reference to relative rôles of liver, spleen, and bone marrow (DOAN, ZERFAS, WARREN, and AMES) 403

O

Obstruction:
Biliary, pathogenesis of jaundice (BARRON and BUMSTEAD) 999
Oroya fever:
Bacterium peruvianum as secondary invader of lesions (NOGUCHI) 165
Clinical types, relation of virulence of infecting organism (NOGUCHI) 219
Etiology. IX (NOGUCHI) 165
—. X (NOGUCHI) 219
—. XI (NOGUCHI) 235
—. XII (NOGUCHI) 821
Malarial infection (*Plasmodium inui*) and splenectomy, influence of, on (NOGUCHI) 821

P

Paratyphoid:
Guinea pig. IV (NELSON) 207
Pathogenesis:
Jaundice, early obstructive (BARRON and BUMSTEAD) 999
Pathology:
Virus encephalitis. IV (FLEXNER) 9
— —. V (FLEXNER) 23
Phosphorus:
Blood, after section of sympathetic nerves (BERG, HESS, and SHERMAN) 105
—, — — — vagus nerves (BERG, HESS, and SHERMAN) 105
Inorganic, of blood. I (BROWN) 539
—, — —. II (BROWN) 563
—, — —. III (BROWN) 637
Photosensitization:
Buckwheat ingestion and (SHEARD, CAYLOR, and SCHLOTTHAUER) 1013
Physiology:
Hematoporphyrine, physiological action (SMETANA) 593
Pituitary body:
Digest, effect on proliferation of sarcomatous fibroblasts (BAKER and CARREL) 371
Plasmodium:
inui, malaria, influence on Carrion's disease (NOGUCHI) 821
Platelet:
Blood, electrophoresis with reference to origin and thrombus formation (ABRAMSON) 677
Pneumectomy:
Unilateral, compensatory hypertrophy of lung after (ADDIS) 51
Pneumococcus:
Immunological relations. I (SUGG, GASPARI, FLEMING, and NEILL) 917
— —. II (HARRIS, SUGG, and NEILL) 933

Pneumococcus—*continued*:
Infection, mechanism of recovery (ROBERTSON, WOO, CHEER, and KING) 317
Interconvertibility of R and S forms (DAWSON) 577
Meningitis, local specific therapy. III (STEWART) 1
—, — — —. IV (STEWART) 515
—, Type II, in dogs (STEWART) 515
Type II, species-specific antigen of cells, influence of heating immunization material on antibody-invoking effectiveness (GASPARI, SUGG, FLEMING, and NEILL) 131
— —, type-specific antigen of cells, influence of heating immunization material on antibody-invoking effectiveness (GASPARI, SUGG, FLEMING, and NEILL) 131
— III, antibody response after immunization compared with antibody response after immunization with related strain (HARRIS, SUGG, and NEILL) 933
Types I and II, autolysates producing skin necrosis (PARKER) 531
Virulent strain immunologically related to but not identical with typical strains of Type III pneumococci (SUGG, GASPARI, FLEMING, and NEILL) 917
Pneumonia:
Lung, elevation of temperature (CHRISTIE, EHRICH, and BINGER) 741
Precipitation:
Bacillus paratyphosus B, precipitable substances (FURTH and LANDSTEINER) 171
— *typhosus*, precipitable substances (FURTH and LANDSTEINER) 171
Precipitin:
Index (SOBOTKA and FRIEDLANDER) 57
Ratio to protective antibody (FRIEDLANDER, SOBOTKA, and BANZHAF) 79
Reaction, of antipneumococcus sera. I (SOBOTKA and FRIEDLANDER) 57
—, — — —. II (FRIEDLANDER, SOBOTKA, and BANZHAF) 79
Protection:
Antibody, ratio to precipitin (FRIEDLANDER, SOBOTKA, and BANZHAF) 79
Protein:
Pure, effect of digests on cell proliferation (BAKER and CARREL) 353
Streptococcus hæmolyticus, chemical and immunological properties (LANCEFIELD) 469

R

Reaction:
Precipitin, of antipneumococcus sera. I (SOBOTKA and FRIEDLANDER) 57
—, — — —. II (FRIEDLANDER, SOBOTKA, and BANZHAF) 79
Renal:
See Kidney.
Resistance:
Adrenalectomized rats, tested by means of histamine (MARMORSTON-GOTTESMAN and GOTTESMAN) 503

Resistance—*continued*:
Adrenal, influence of, on. III (SCOTT) 185
Familial, to tuberculosis, as related to antibody capacity (LEWIS and LOOMIS) 437
Natural, to tuberculosis, as related to ulcerative types (LEWIS and LOOMIS) 449
Respiration:
Friedländer bacillus-like infection in mice (WEBSTER) 685
Respiratory tract:
Upper, Gram-negative, filter-passing anaerobes (MILLS, SHIBLEY, and DOCHEZ) 193
Reticulo-endothelial system:
Immunity. V (JUNGEBLUT) 261

S

Salmonella:
Infection appearing in endemic stage of paratyphoid infection in guinea pigs (NELSON) 207
Sarcoma:
Chicken (STURM and MURPHY) 493
Fibroblasts, effect of liver digests (BAKER and CARREL) 371
—, — — pituitary digests (BAKER and CARREL) 371
Scarlet fever:
Streptococci of scarlet fever type causing udder infection. I (JONES and LITTLE) 945
— — — — type causing udder infection. II (JONES and LITTLE) 957
Scarlet fever—*continued*:
Streptococci of scarlet fever type causing udder infection. III (JONES) 965
— — — — type, influence of milk on growth (JONES) 965
— — — — type isolated from udder of cow (JONES and LITTLE) 957
Sensitization:
Serum, surface tension. I (RAMSDELL) 987
—, — —. II (RAMSDELL) 993
Serum:
Antipneumococcic, precipitin reaction. I (SOBOTKA and FRIEDLANDER) 57
—, — —. II (FRIEDLANDER, SOBOTKA, and BANZHAF) 79
Horse, relation to horse dander (FORSTER) 903
Surface tension after sensitization. I (RAMSDELL) 987
— — — —. II (RAMSDELL) 993
Skin:
Immunity, non-specific local, to staphylococcus, rôle of clasmatocytes and connective tissue cells (FREEDLANDER and TOOMEY) 663
Irradiated with ultra-violet light, reaction to vaccine virus (RIVERS, STEVENS, and GATES) 37
Necrosis produced by autolysates of Pneumococcus Types I and II (PARKER) 531
Specificity:
Anaphylaxis with non-type-specific fractions of *Streptococcus hæmolyticus* (LANCEFIELD) 843

Specificity—*continued*:
Anaphylaxis with type-specific substance of *Streptococcus hæmolyticus* (LANCEFIELD) 857
Immunity, non-specific local cutaneous, to staphylococcus, rôle of clasmatocytes and connective tissue cells (FREEDLANDER and TOOMEY) 663
Pneumococcus Type II cells, influence of heating on antibody-invoking effectiveness of species-specific antigen (GASPARI, SUGG, FLEMING, and NEILL) 131
— — — —, influence of heating on antibody-invoking effectiveness of type-specific antigen (GASPARI, SUGG, FLEMING, and NEILL) 131
Streptococcus hæmolyticus, chemical and immunological properties of species-specific substance (LANCEFIELD) 481
— —, type-specific substance in extracts (LANCEFIELD) 91
Spinal cord:
Calcium of blood after section (HESS, BERG, and SHERMAN) 115
Spirochæta:
Yellow fever. *See also Leptospira icteroides.*
— —, compared with leptospira of Weil's disease (MARTINI) 255
Spleen:
Leucopenia and leucocytosis induced by nucleinate studied with reference to relative rôles of liver, spleen, and bone marrow (DOAN, ZERFAS, WARREN, and AMES) 403
Splenectomy:
Immunity, passive, in blocked and splenectomized mice (JUNGEBLUT) 261
Oroya fever, influence on, of (NOGUCHI) 821
Staining:
Gram-negative, filter-passing anaerobes of upper respiratory tract (MILLS, SHIBLEY, and DOCHEZ) 193
Vital, with litmus constituents (ELMAN, DRURY, and MCMASTER) 777
Staphylococcus:
Immunity, non-specific local cutaneous, rôle of clasmatocytes and connective tissue cells (FREEDLANDER and TOOMEY) 663
Stomatitis:
Aphthosa, of horses, effect of formalin on virus (OLITSKY and LONG) 835
Streptococcus:
Bacteriophage. II (SHWARTZMAN) 151
hæmolyticus, antigenic complex. I (LANCEFIELD) 91
—, — —. II (LANCEFIELD) 469
—, — —. III (LANCEFIELD) 481
—, — —. IV (LANCEFIELD) 843
—, — —. V (LANCEFIELD) 857
—, type-specific substance in extracts (LANCEFIELD) 91
Hemolytic, influence of bacteriophage on agglutination (SHWARTZMAN) 151
Scarlet fever type, causing udder infection. I (JONES and LITTLE) 945
— — —, causing udder infec-

Streptococcus—*continued*:
tion. II (JONES and LITTLE) 957
— — —, causing udder infection. III (JONES) 965
— — —, influence of milk on growth (JONES) 965
— — —, isolated from udder of cow (JONES and LITTLE) 957
Suprarenal:
See Adrenal.
Suprarenalectomy:
See Adrenalectomy.
Susceptibility:
Histamine, as test of adrenal deficiency (SCOTT) 185
Sympathetic:
Nerve. *See* Nerve.
Syphilis:
Vaccinia, concomitant, reciprocal effects (PEARCE) 611

T

Temperature:
Pneumonic lung (CHRISTIE, EHRICH, and BINGER) 741
Tension:
Surface, of blood, in anaphylactic shock (RAMSDELL) 993
—, — serum after sensitization. I (RAMSDELL) 987
—, — — after sensitization. II (RAMSDELL) 993
Thebesian vein:
See Vein.
Thrombus:
Formation, and electrophoresis of blood platelets (ABRAMSON) 677
Thymus:
Transplantation, autoplastic, into bone marrow cavity (RICHTER and JAFFE) 981
Tissue:
Connective, cells, rôle in nonspecific local cutaneous immunity to staphylococcus (FREEDLANDER and TOOMEY) 663
Mammalian, living, relative reaction. X (ELMAN, DRURY, and MCMASTER) 777
—, —, — —. XI (MCMASTER and ELMAN) 797
Transplantation, autoplastic, into bone marrow cavity. I (RICHTER and JAFFE) 981
Transplantation:
Autoplastic, of lymph nodes (JAFFE and RICHTER) 977
—, — tissues, into bone marrow cavity. I (RICHTER and JAFFE) 981
Tuberculosis:
Familial resistance, as related to antibody capacity (LEWIS and LOOMIS) 437
Natural resistance, as related to ulcerative types (LEWIS and LOOMIS) 449
Tumor:
Chicken, factors determining localization (MACKENZIE and STURM) 345

U

Udder:
Infection, spontaneous and experimental, with streptococci of scarlet fever type (JONES and LITTLE) 945
— with streptococci of scarlet fever type. I (JONES and LITTLE) 945
— — — of scarlet fever type. II (JONES and LITTLE) 957
— — — of scarlet fever type. III (JONES) 965

Udder—*continued*:
Scarlet fever type of streptococci isolated from (JONES and LITTLE) 957
Ulcer:
Types, as determined by inheritance and as related to natural resistance to tuberculosis (LEWIS and LOOMIS) 449
Ultra-violet light:
Monochromatic, effect on vaccine virus (RIVERS and GATES) 45
Skin, irradiated, reaction to vaccine virus (RIVERS, STEVENS, and GATES) 37
Vaccine virus and. I (RIVERS, STEVENS, and GATES) 37
— — —. II (RIVERS and GATES) 45
Urine:
Reaction, relation to intracellular reaction of kidney epithelium (MCMASTER and ELMAN) 797

V

Vaccine:
Virus, effect of monochromatic ultra-violet light (RIVERS and GATES) 45
—, inactivated, action of certain substances on infecting power (REYNALS) 389
—, reaction of skin irradiated with ultra-violet light (RIVERS, STEVENS, and GATES) 37
—, and ultra-violet light. I (RIVERS, STEVENS, and GATES) 37
—, — — —. II (RIVERS and GATES) 45
Vaccinia:
Syphilis, concomitant, reciprocal effects (PEARCE) 611
Vagus:
Nerve, calcium of blood after section (BERG, HESS, and SHERMAN) 105
—, phosphorus of blood after section (BERG, HESS, and SHERMAN 105
Vein:
Thebesian, rôle in circulation of heart (WEARN) 293
Verruga peruana:
See Oroya fever.
Virulence:
Bartonella bacilliformis, relation to clinical types of Carrion's disease (NOGUCHI) 219
Virus:
Encephalitis, pathology. IV (FLEXNER) 9
—, —. V (FLEXNER) 23
Herpes, encephalitis, in guinea pig (FLEXNER) 23
—, recurring strains (FLEXNER) 9
Polyhedral, visibility (GLASER and COWDRY) 829
Stomatitis aphthosa of horses, effect of formalin (OLITSKY and LONG) 835
Vaccine, effect of monochromatic ultra-violet light (RIVERS and GATES) 45
—, inactivated, action of certain substances on infecting power (REYNALS) 389
—, reaction of skin irradiated

Virus—*continued*:
with ultra-violet light (RIVERS, STEVENS, and GATES) 37
—, and ultra-violet light. I (RIVERS, STEVENS, and GATES) 37
—, — — —. II (RIVERS and GATES) 45

Vital staining:
Litmus constituents (ELMAN, DRURY, and MCMASTER) 777

W

Weil's disease:
See Disease.

Y

Yellow fever:
Spirochete, compared with leptospira of Weil's disease (MARTINI) 255